



[+ View More](#)

**PRODUCT NUMBER: 4503004**

## **SPACEL 3000 AP / EBJ**

Liquid tight coverall designed to protect workers from chemicals. Its new ergonomics offer a better fitting and protection. Model with elasticated wrists and ankles and back flap. Welded zipper.

Overview

**Reference Number**

4503004

**Product Type**

Protective Clothing

**Range**

Disposable Clothing

**Brand**

Honeywell

**Industry**

- Industry
- Chemical Industries
- Industrial Cleaning
- Maintenance
- Offshore
- Petro-chemical
- Utilities

**Product Use**

Chemistry, petrochemistry, in-shore/off-shore oil industry, industrial maintenance, pharmaceutical industry, spoiled beach cleaning, transportation of hazardous materials, industrial sub-contracting cleaning, sanitation, waste processing, emergency services.

Features & Benefits

**Feature**

Enhanced protection

**Benefit**

Welded zipper Very good abrasion, tear and puncture resistance Watertight due to "Spaseal" welding, an exclusive Honeywell Safety Product process Yellow for a better visibility

**Feature**

Ergonomics

**Benefit**

New design for better comfort and safety Raw material elongation up to 400% Elasticated hood, waist, wrist and ankles Back ventilation valve

Technical Description

**Description**

Liquid tight coverall designed to protect workers from chemicals. Its new ergonomics offer a better fitting and protection. Model with elasticated wrists and ankles and back flap. Welded zipper.

**Gender**

Unisex

**Size**

From S to XXXL - International size

**Table Size**

Table size

**Color**

Yellow

**Thickness**

100  $\mu$

**Composition**

Three-layered yellow polyethylene film

**Type of Protection**

● 6

**Performance**


Type 6; Biological High chemical resistance Elongation up to 400% Back ventilation valve

**Limitation of use**

This product is a single use garment. The user can wear this garment in association with other equipments (shoes, gloves, glasses, masks...). Do not use the overalls when there is a defect. When the closing system is faulty, the seams open or any other defects which appear.

**Warning**

The choice and use of personal protective equipment must comply with the European Directive No. 89/656/CEE of 30/11/1989. The employer must have previously analyzed and assessed the risks linked to intervention and to those generated by the use of the personal protective equipment selected.



 **E.C. Declaration of Conformity**

**EC Category PPE**

3

**Quality Assurance**

ISO 9001 / 2000

**EC Certificate Number**


03310433

**EC Attestation**


 EC Attestation

**EC Attestation Number**

03310433




We're sorry, there are no images available at this time.



**User Manual**

Spacel 3000 and 4000 User guide - indice f - 15 October 2012



**Life Cycle**


Disposable item. To be discarded after use. Do not reuse this item.

**Storage Information**

-10°C to + 40°C in its original packaging and carton, optimal product use is ensured 3 years after manufacturing.

**Care Instructions**

To be discarded after use.



**Quantity per Carton**

25